Notice of Allowability	Application No.	Applicant(s)	
	10/708,745	NERNEY, MICHAEL E.	
	Examiner	Art Unit	
	Theodore J. Stigell	3763	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>5/2/2006</u> .			
2. The allowed claim(s) is/are <u>1 and 3-15</u> .			
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of 			
each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☑ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	5. ☐ Notice of Informal P 6. ☐ Interview Summary Paper No./Mail Dat 7. ☑ Examiner's Amendn 8. ☑ Examiner's Stateme	(PTO-413), e nent/Comment	
C. Diological material	9.		

Art Unit: 3763

DETAILED ACTION

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The Examiner has added these references to the Notice of References Cited to show the general state of the art. None of the following references anticipate or render obvious the Applicant's invention.

US 4,687,472 to Gross
US 6,719,735 to Gammon
US 6,368,308 to Nerney
US 5,830,152 to Tao
US 5,814,023 to Folk et al.
US 3,819,091 to Hollender
US 6,231,550 to Laughlin
US 3,325,061 to Ellsworth
US 5,135,511 to Houghton et al.
US 5,582,595 to Haber et al.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Ronald Smith on 5/12/2006.

The application has been amended as follows:

In claim 11, lines 21-22, please replace "adaptor" with --attachment--.

In claim 14, line 1, please replace "12" with --11--.

Application/Control Number: 10/708,745

Art Unit: 3763

The following is an examiner's statement of reasons for allowance: The best prior art made of record, namely the Lee reference (5,115,816), did not teach or render obvious a plunger control adaptor or syringe attachment for retrofit attachment to a syringe that included all of the limitations as recited in claims 1 and 11, especially the limitation of "a slide member having a first lower surface that slidably engages a first upper surface of said barrel and a second upper surface that supports a finger or a thumb".

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Theodore J. Stigell whose telephone number is 571-272-8759. The examiner can normally be reached on M-F 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nicholas Lucchesi can be reached on 571-272-4977. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/708,745 Page 4

Art Unit: 3763

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Theodore J. Stigell

NICHOLAS D. LUCCHESI SUPERVISORY PATENT EXAMMER TUSHIOLOGY CENTER 3700